

SAFETY DATA SHEET

Issuing Date 28-Jan-2016

Revision Date 28-Jan-2016

ECR# 23987

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE COMPANY/UNDERTAKING

GHS product identifier

Product Name

Cerinate-Prime, L/C Cerinate Prime

Other means of identification

UN-Number

UN1120

Synonyms

None

Recommended use of the chemical and restrictions on use

Recommended Use

Professional Dental Porcelain Primer

Uses advised against

No information available

Supplier's details

Supplier Address

DenMat

1017 W. Central Ave. Lompoc, CA 93436 TEL: 805-346-3700

Emergency telephone number

Emergency Telephone

805-346-3700

Number

2. HAZARDS IDENTIFICATION

Classification

This chemical is considered hazardous according to the OSHA Hazard Communication Standard 2012 (29 CFR 1910.1200)

Serious Eye Damage/Eye Irritation	Category 2
Specific Target Organ Systemic Toxicity (Single Exposure)	Category 3
Flammable liquids	Category 2

GHS Label elements, including precautionary statements

Emergency Overview

Signal Word Hazard Statements Danger

nazaro Statements

Signal Word

Hazard Statements

- · Causes serious eye irritation
- · May cause drowsiness or dizziness
- · Highly flammable liquid and vapor.



Appearance Clear to light yellow

Physical State Liquid.

Odor Aromatic solvent/pungent

Precautionary Statements

Prevention

- · Wash face, hands and any exposed skin thoroughly after handling.
- · Avoid breathing dust/fume/gas/mist/vapors/spray.
- · Use only outdoors or in a well-ventilated area.
- · Keep away from heat/sparks/open flames/hot surfaces No smoking.
- · Keep container tightly closed.
- · Ground/bond container and receiving equipment.
- Use explosion-proof electrical/ventilating/lighting/equipment.
- Use only non-sparking tools.
- · Take precautionary measures against static discharge.
- · Wear protective gloves/protective clothing/eye protection/face protection.
- · Keep cool

General Advice

None

Eves

• ÎF IN EYES: Rinse Cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue

rinsing.

• IF eye irritation persists: Get medical advice/attention

Skin

• IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

Inhalation

- If INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
- Call a POISON CENTER or doctor/physician if you feel unwell

Fire

In case of fire: Use CO2, dry chemical, or foam for extinction

Storage

- Store in a well-ventilated place. Keep container tightly closed.
- · Store locked up.

Disposa

· Dispose of contents/container to an approved waste disposal plant.

Hazard Not Otherwise Classified (HNOC)

Not applicable

Other information

Aspiration hazard if swallowed - can enter lungs and cause damage Harmful to aquatic life

<5% of the mixture consists of ingredient(s) of unknown toxicity.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name CAS-No Weight % Trade secret organosilane ester proprietary 20-30 ethoxylated bis-phenol-A dimethacrylate 41637-38-1 5-10 n-butanol 71-36-3 60 - 70triethylene glycol dimethacrylate 1-5 109-16-0 ethyl 4-dimethylaminobenzoate 10287-53-3 0.1 - 12-(2' hydroxy-5'-octylphenyl) benzotriazole 3147-75-9 0.1 - 1di hydroxyethyl p toluidine 3077-12-1 0.01 - 0.1camphorquinone 10373-78-1 0.01 - 0.1Gamma-Glycidoxypropyltrimethoxysilane 2530-83-8 1-5 Gamma-Methacryloxypropyltrimethoxysilane 2530-85-0

4. FIRST AID MEASURES

Description of necessary first-aid measures

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Consult a physician.

Skin Contact Wash off with warm water and soap. Consult a physician if necessary.

Inhalation IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing If not

breathing, give artificial respiration. Seek immediate medical attention/advice.

Ingestion Do NOT induce vomiting. Aspiration hazard if swallowed - can enter lungs and cause damage.

Call a physician or Poison Control Center immediately.

Most important symptoms/effects, acute and delayed

Most Important Symptoms/Effects Dizziness. Drowsiness.

Indication of immediate medical attention and special treatment needed, if necessary

Notes to Physician Condition of the patient should be carefully monitored. Aspiration of this product during

induced emesis can result in lung injury. If evacuation of stomach contents is considered necessary, use method least likely to cause aspiration, such as gastric lavage after endotracheal intubation.

Contact a Poison Control Center for additional treatment information.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media CAUTION: Use of water spray when fighting fire may be inefficient.

Specific Hazards Arising from the Chemical

Extremely flammable.

Explosion Data

Sensitivity to Mechanical Impact Sensitivity to Static Discharge

Protective Equipment and Precautions for Firefighters

Wear positive-pressure self-contained breathing apparatus (SCBA) and protective fire fighting clothing (includes fire fighting helmet, coat, trousers, boots, and gloves). If protective equipment is not available or not used, fight from a protected location or safe distance.

6. ACCIDENTAL RELEASE MEASURES

None.

Yes.

Personal precautions, protective equipment and emergency procedures

Personal Precautions Ensure adequate ventilation. Avoid breathing vapors or mists. Remove all sources of

ignition. Take precautionary measures against static discharges. Do not get in eyes, on

skin, or on clothing. Wash thoroughly after handling.

^{*}The exact percentage (concentration) of composition has been withheld as a trade secret.

Environmental Precautions

Environmental Precautions

Avoid release to the environment. Dispose of contents/container to an approved waste disposal plant. See Section 12 for additional Ecological Information.

Methods and materials for containment and cleaning up

Methods for Containment Prevent further leakage or spillage if safe to do so.

Methods for Cleaning Up Pick up and transfer to properly labeled containers.

7. HANDLING AND STORAGE

Precautions for safe handling

Handling Ensure adequate ventilation. Avoid breathing vapors. Keep away from open flames, hot

surfaces and sources of ignition. Ground and bond all lines and equipment associated with product system. All equipment should be non-sparking and explosion proof. Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapors). Wear personal protective equipment. Avoid contact with skin, eyes and clothing.

Remove and wash contaminated clothing before re-use.

Conditions for safe storage, including any incompatibilities

Storage Keep containers tightly closed in a dry, cool and well-ventilated place.

Incompatible Products Strong acids. Strong oxidizing agents.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Control parameters

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
n-butanol	TWA:20 ppm	100 ppm	50 ppm Ceiling
71-36-3		300 mg/m³	150 mg/m ₃ Ceiling

Appropriate engineering controls

Engineering Measures Showers

Eyewash stations Ventilation systems

Individual protection measures, such as personal protective equipment

Eye/Face Protection Skin and Body Protection Respiratory Protection Safety glasses with side-shields. Tightly fitting safety goggles.

Long sleeved clothing. Impervious gloves.

If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be

provided in accordance with current local regulations.

Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice. Remove and wash contaminated clothing before re-use. Wash thoroughly after handling.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical StateLiquidAppearanceClear to light yellow.OdorAromatic solventOdor ThresholdNo information available

Property Values Remarks/ - Method

pH N/A None known

Melting Point/Range Not determined None known

Boiling Point/Range 140 °C Flash Point 70 °C

Evaporation rateNo data availableNone knownFlammability (solid, gas)No data availableNone known

Flammability Limits in Air

upper flammability limitNo data availablelower flammability limitNo data available

Vapor Pressure 3 mm Hg

Vapor Density 2.1

Specific Gravity 0.90 @ 25°C None known

Water Solubility Minimal

Solubility in other solvents 100% soluble in acetone and ethanol None known

Information on basic physical and chemical properties

 Partition coefficient: n-octanol/water
 No data available
 None known

 Autoignition Temperature
 No data available
 None known

 Decomposition Temperature
 No data available
 None known

 Viscosity
 Similar to water

Flammable Properties Flammable

Explosive Properties No data available
Oxidizing Properties No data available

Other information

VOC Content (%) 60%

10. STABILITY AND REACTIVITY

Reactivity

No dangerous reaction known under conditions of normal use.

Chemical stability

Stable under recommended storage conditions.

Possibility of hazardous reactions

None under normal processing.

Hazardous Polymerization

Hazardous polymerization does not occur.

Conditions to avoid

Ignitions sources - heat, sparks and open flames.

Incompatible materials

Strong acids. Strong oxidizing agents.

Hazardous decomposition products

None known based on information supplied.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information The product itself has not been tested. Data is for major component in product.

Inhalation May cause drowsiness and dizziness based on components. May cause irritation of

respiratory tract.

Eye Contact Irritating to eyes.

Skin Contact May cause skin irritation and/or dermatitis.

Ingestion Potential for aspiration if swallowed. Vomiting may aspirate into lungs and cause chemical

pneumonia.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms May cause drowsiness and dizziness. Eye contact with liquid may cause irritation including

stinging, burning, tearing, or reddening of the eyes.

Delayed and immediate effects and also chronic effects from short and long term exposure

Sensitization No information available.

Mutagenic Effects No information available.

Carcinogenicity Ethanol has been shown to be carcinogenic in long-term studies only when consumed and

abused as an alcoholic beverage.

Reproductive Toxicity
STOT - single exposure
STOT - repeated exposure
Target Organ Effects
No information available.
No information available.
Eyes. Respiratory system.

Aspiration Hazard Based on product level data, this product does not meet the requirement to be classified as

an aspiration hazard. However, this product contains an ingredient that may cause

aspiration if swallowed.

Numerical measures of toxicity - Product

Acute Toxicity <10% of the mixture consists of ingredient(s) of unknown toxicity.

The following values are calculated based on chapter 3.1 of the GHS document:

LD50 Oral Not established

Inhalation

dust/mist Not established

12. ECOLOGICAL INFORMATION

Ecotoxicity

The environmental impact of this product has not been fully investigated.

Chemical Name	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Daphnia Magna (Water Flea)
n- Butanol 71-36-3	500 mg/L EC50 Desmodesmus subspicatus 72h 500 mg/L EC50 Desmodesmus subspicatus 96 h	100000-500000 μg/L LC50 Lepomis macrochirus 96 h static 1 1730-1910 mg/L LC50 Pimephales promelas 96 h static 1 1740 mg/L LC50 Pimephales promelas 96 h flow-through 1	N/A	1897 - 2072 mg/L EC50 Daphnia magna 48 h 1983 mg/L EC50 Daphnia magna 48 h

Persistence and Degradability No information available.

Bioaccumulation No information available.

Other Adverse Effects
No information available.

13. DISPOSAL CONSIDERATIONS

Waste Disposal Methods

This material, as supplied, is not a hazardous waste according to Federal regulations (40

CFR 261). This material could become a hazardous waste if it is mixed with or otherwise

comes in contact with a hazardous waste, if chemical additions are made to this material, or if the material is processed or otherwise altered. Consult 40 CFR 261 to determine whether the altered material is a hazardous waste. Consult the appropriate state, regional, or local

regulations for additional requirements.

Contaminated Packaging

Do not re-use empty containers.

Chemical Name	RCRA	RCRA - Basis for Listing	RCRA - D Series Wastes	RCRA - U Series Wastes
N Butyl alcohol 71-36-3	None	None	None	U031 ignitable waste

14. TRANSPORT INFORMATION

DOT

UN-Number UN1120

Proper shipping name Flammable liquids, n.o.s.

Hazard Class 3 Packing Group 11

Description UN1120, Flammable liquids, n.o.s. (butanols), 3, II

15. REGULATORY INFORMATION

International Inventories

TSCA All components of this product are either listed or are exempt on the TSCA inventory.

Legend

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

U.S. Federal Regulations

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

SARA 311/312 Hazard Categories

Acute Health Hazard Yes Chronic Health Hazard Yes Fire Hazard Yes Sudden Release of Pressure Hazard No Reactive Hazard No

15. REGULATORY INFORMATION

Clean Water Act

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

U.S. State Regulations

California Proposition 65

Ethyl alcohol is only considered a Proposition 65 developmental hazard when it is ingested as an alcoholic beverage.

U.S. State Right-to-Know Regulations

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

16. OTHER INFORMATION				
NFPA	Health Hazard 2	Flammability 2	Instability 0	Physical and Chemical Hazards -
<u>HMIS</u>	Health Hazard 2	Flammability 2	Physical Hazard 0	Personal Protection X

General Disclaimer

Issuing Date 28-Jan-2016 Revision Date 28-Jan-2016

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

End of Safety Data Sheet